

To: Robert Law[rlaw@demaximis.com]
Cc: Willard Potter[otto@demaximis.com]; Basso, Ray[Basso.Ray@epa.gov]; Vaughn, Stephanie[Vaughn.Stephannie@epa.gov]; Mike Barbara[mab.environmental@gmail.com]; William Hyatt[william.hyatt@klgates.com]
From: LaPoma, Jennifer
Sent: Tue 3/18/2014 8:00:39 PM
Subject: RE: Revised LPRSA FSWP Status

Rob,

EPA is in the process of reviewing and compiling comments on the revised FS work plan. As this work plan has been substantially modified from the previous FS work plan submission it was not a straight-forward review. With that being said, our current goal is to provide comments back to the CPG by the end of this month.

Thanks,

Jennifer LaPoma

From: Robert Law [mailto:rlaw@demaximis.com]
Sent: Tuesday, March 18, 2014 1:31 PM
To: LaPoma, Jennifer
Cc: Willard Potter; Basso, Ray; Vaughn, Stephanie; Mike Barbara; William Hyatt
Subject: Revised LPRSA FSWP Status

Privileged & Confidential - Prepared at the Request of Counsel

Jennifer:

Can Region 2 advise the CPG as to the status of the EPA's comments on the January 31, 2014 revised FSWP? The CPG in its January 31, 2014 transmittal letter had requested comments and either provisional or final approval by February 28, 2014. On February 4, 2014, EPA Region 2 indicated that the Region could not commit to reviewing and approving the document by February 28. In closing its February 4, 2014 letter, the Region indicated that it would attempt to respond to the CPG's request by end of the month. The CPG is requesting the current status of comments.

The LPRSA FSWP was originally submitted to the EPA in August 2008; following EPA comments in November 2008 the CPG resubmitted a revised FSWP in March 2009. After nearly 4 years, the Region provided comments in December 2013, the CPG submitted a second revision to the FSWP on January 31, 2014.

Please contact me at your earliest opportunity to inform me of the FSWP status.

Thank you.

R/

Rob

Robert Law, Ph.D.
de maximis, inc.
rlaw@demaximis.com
Voice: 908-735-9315
Fax: 908-735-2132